SMS80/T



FEATURE:

- Low impedance 8Ω input ceiling loudspeaker
- 8" +1.5" coaxial fibre speaker unit
- Hi-fi level speaker for home use
- RMS 40W and MAX 80W power output
- · Built-in crossover
- Metal grille & ABS baffle
- · Paint in white color
- Flush mount secure installation


DESCRIPTION:

The Heinrich CMS80/T 40W & 80W ALL HEINRICH CMS SERIES CEILING LOUD SPEAKER are EN 54 Approved HEINRICH all speakers support EASE, CATT, ULYSSES models for acoustic studies. This means the acoustic model can be designed to simulate the sound quality and distribution prior to installation All HEINRICH loudspeaker have undergone trough testing procedure to ensure that all products compliance with LOW VOLTAGE DIRECTIVE (BS EN 60065, 2003) and EMC (BS EN 61000-6-Part 1/2/3/4).

The CMS80/T is a low impedance 8Ω input ceiling mount speaker, it is built-in 8''+1.5'' coaxial fiber speaker driver and a crossover is equipped to achieve hi-fi level sound performance of frequency response 20-20kHz, and the RMS 40W and MAX 80W power output are suitable for foreground and background music system. The metal grille and ABS baffle are painted in attractive white color. Its flush mount type makes the easy and secure installation. The hi-fi sound quality and excellent frequency response make it is ideal choice for residential and commercial applications in hotel, school, office and factory where background music and paging is needed







As per our company policy one of the constant Product improvement the right is there for reserved to modify product specifications without prior notice

HEINRICH LIMITED, Marshall Avenue Worthing BN14 0ES, LONDON. W: www.heinrichlimited.com E: info@heinrichlimited.com

SPECIFICATION:

Model	CMS80-T
Power Taps @100V	80W/40W/20W
Power Taps @70V	40W/20W/10W
Impedance	Black : Com Red: 8Ω
Max. SPL	111dB
SPL(1W/1M)	95dB
Frequency Response (-10dB)	20-20KHz
Finish	Baffle : abs, White
	Grille : steel, White
Speaker Driver	8" x 1 1.5" x 1
Cutout Size	248mm
Dimensions	280 x 100mm
Weight	1.8Kg
Mounting	Flush-mount dog ears

Direction Diagram:



Frequency Response:



As per our company policy one of the constant Product improvement the right is there for reserved to modify product specifications without prior notice

HEINRICH LIMITED, Marshall Avenue Worthing BN14 0ES, LONDON.
W: www.heinrichlimited.com E: info@heinrichlimited.com