


Stereo Mixer Pre-Amplifier (8 Inputs & 4 Outputs)

HM81A



FEATURE:

- Standard machine cabinet type 1 U height design, black aluminium oxide draw bench panel.
- 4 MIC/LINE XLR balanced inputs, providing 48V phantom power switch.
- 4 AUX accessory unbalanced inputs, there are 2 RCA in each channel, and one of them is on the panel.
- Each channel is equipped with volume control and tone control.
- Signal/peak value LED light monitors the input level of every channel.
- MIC/LINE1, MIC/LINE2 internally installed low cut.
- Each input channel can be assigned to output channel freely through jumper
- The panel provides one channel of MIC/LIN input in addition, parallel connected with MIC/LINE1.
- MIC1/MIC2 priority control, and adjustable. threshold value
- 4 XLR balanced outputs, in parallel connection with 2 channels of RCA unbalanced outputs.
- 4 RJ45 trunk balanced inputs, whose volume is adjustable, and can be mixed correspondingly into 4 channel XLR outputs.
- 4s of RJ45 trunk balanced outputs mixed signal.
- Output level indicate.
- External mute controls all channels.
- Switching power supply provides electricity.



As per our company policy one of the constant Product improvement the right is there for reserved to modify product specifications without prior notice

Stereo Mixer Pre-Amplifier (8 Inputs & 4 Outputs)

SPECIFICATION:

Model	HM8IA
Input sensitivity/Impedance	
1-4MIC/Line	$\pm 2.5V/5K \Omega$ balanced $\pm 250mV/5K \Omega$ balanced
1-4AUC RCA In	400mV/5K Ω Unbalanced
Output level/Impedance	
Master 1,2,3,4	1V/600K Ω unbalanced (MAX:7.75V)
AUX	1V/10K Ω unbalanced (MAX:7.75V)
Tone	Bass: $\pm 15dB$ at 100Hz, Trable: $\pm 15dB$ at 10 KHz
Low Cut	200Hz/12dB per octave slope
Frequency Response	
Less than	
S/N Ratio	1dB(20Hz~20KHz)
MIC	
Line	More than 60dB
THD	More than 75dB
MIC	
Line	Less than 0.05%
Crosstalk	More than 0.03%
MIC	More than 60dB
Line	More than 75dB
Power Consumption Power	20W
Power Supply	~230V/50Hz
Dimensions	484 x 200 x 44mm
Weight	3.9kg

As per our company policy one of the constant Product improvement the right is there for reserved to modify product specifications without prior notice